
In the claims

1. (currently amended) A compound represented by 1:



1

wherein

X represents independently for each occurrence a bond, O, S, or NR';

Z represents independently for each occurrence R, acyl, trialkylsilyl, alkylsulfonyl, fluoroalkylsulfonyl, arylsulfonyl, or S(O)₂OH;

Ar and Ar' are independently selected from the group consisting of optionally substituted aryl and heteroaryl;

T represents a covalent tether connecting Ar and Ar', wherein said covalent tether comprises an amide, ether, substituted amine or ester moiety;

R represents independently for each occurrence H, alkyl, aryl, or aralkyl;

R' represents independently for each occurrence H, alkyl, alkenyl, aryl, aralkyl, formyl, acyl, sulfonyl, or -(CH₂)_m-R₈₀;

R₈₀ represents independently for each occurrence aryl, cycloalkyl, cycloalkenyl, or heterocyclyl; and

m is an integer in the range 0 to 8 inclusive.

- 2. (original) The compound of claim 1, wherein X represents independently for each occurrence a bond or O.
- 3. (original) The compound of claim 1, wherein X represents O.
- 4. (canceled)
- 5. (original) The compound of claim 1, wherein Z represents independently for each occurrence methylsulfonyl, trifluoromethylsulfonyl, or S(O)₂OH.

- 6. (original) The compound of claim 1, wherein Ar and Ar' represent independently for each occurrence optionally substituted aryl.
- 7. (original) The compound of claim 1, wherein Ar and Ar' represent independently for each occurrence optionally substituted phenyl or naphthyl.
- 8. (original) The compound of claim 1, wherein X represents O; and Z represents independently for each occurrence alkylsulfonyl, fluoroalkylsulfonyl, arylsulfonyl, or S(O)₂OH.
- 9. (original) The compound of claim 1, wherein X represents O; and Z represents independently for each occurrence methylsulfonyl, trifluoromethylsulfonyl, or S(O)₂OH.
- 10. (original) The compound of claim 1, wherein X represents O; Z represents independently for each occurrence alkylsulfonyl, fluoroalkylsulfonyl, arylsulfonyl, or S(O)₂OH; and Ar and Ar' represent independently for each occurrence optionally substituted aryl.
- 11. (original) The compound of claim 1, wherein X represents O; Z represents independently for each occurrence methylsulfonyl, trifluoromethylsulfonyl, or S(O)₂OH; and Ar and Ar' represent independently for each occurrence optionally substituted aryl.
- 12. (original) The compound of claim 1, wherein X represents O; Z represents independently for each occurrence alkylsulfonyl, fluoroalkylsulfonyl, arylsulfonyl, or S(O)₂OH; and Ar and Ar' represent independently for each occurrence optionally substituted phenyl or naphthyl.
- 13. (original) The compound of claim 1, wherein X represents O; Z represents independently for each occurrence methylsulfonyl, trifluoromethylsulfonyl, or S(O)₂OH; and Ar and Ar' represent independently for each occurrence optionally substituted phenyl or naphthyl.
- 14. (original) The compound of claim 1, wherein T represents -C(O)NR-Q-NRC(O)-; Q is -(CH₂)_n- or heterocyclyl; and n is an integer selected from the range 2 to 10 inclusive.
- 15. (original) The compound of claim 1, wherein T represents -(CH₂)-NR-Q-O-; and Q represents alkyl, cycloalkyl, or heterocyclyl.

- 16. (original) The compound of claim 1, wherein T represents -(CH₂)-NR-Q-O-C(O)- or -(CH₂)-NR-Q-O-C(O)-(CH=CH)-; and Q represents alkyl, cycloalkyl, or heterocyclyl.
- 17. (original) The compound of claim 1, wherein T represents -(CH₂)-NR-Q-; and Q is a bond, alkyl, or heterocyclyl.
- 18. (original) The compound of claim 1, wherein T represents -CH₂CH(C(O)NHMe)-NRC(O)-Q-C(O)NR-G-; Q is alkyl, cycloalkyl, cycloalkenyl, heterocyclyl, alkenyl, aryl, heteroaryl, aralkyl, alkyl-O-alkyl, or alkyl-S-alkyl; and G is a bond, alkyl, or heterocyclyl.
- 19. (previously presented) A composition comprising the compound of claim 1 and a pharmaceutically acceptable carrier.

Claims 20-40. (canceled)